INDEX OF AUTHORS

BISHOP, ANN. The effect of sulphadiazine, proguanil and 2:4-diamino-6:7-di*iso*propylpteridine upon gametocyte production in *Plasmodium gallinaceum* (Brumpt, 1935), 120

BISHOP, ANN. The action of 2:4-diamino-6:7-di*iso*propylpteridine upon *Plasmodium gallinaceum* and its relation to other compounds which are pteroylglutamic acid antagonists. (With 1 Figure in the Text), 450

BROWNING, T. O. On the structure of the spiracle of the tick, *Ornithodoros moubata* Murray. (With 1 Figure in the Text), 310

CORBETT, M. PAULINE, *see* GRESSON, R. A. R.

CROFTON, H. D. The ecology of the immature phases of trichostrongyle parasites. V. The estimation of pasture infestation. (With 3 Figures in the Text), 313

CROFTON, H. D. Nematode parasite populations in sheep on lowland farms. I. Worm egg counts in ewes. (With 6 Figures in the Text), 465

DAVIES, A. MICHAEL, *see* ELIAKIM, M.

DE MELLO, I. FROILANO. *Pseudotrichonympha sertaneja* n.sp. (Protozoa, Mastigophora), from the intestine of a new termite (*Rugitermes* sp.) collected in Brazil. (With 3 Figures in the Text), 24

DE MELLO, I. FROILANO. On a new species of *Stephanonympha* (Protozoa, Mastigophora) from the intestine of the Brazilian termite, *Neotermes hirtellus*. (With Plate VI), 30

DEORAS, P. J. Breeding the Indian house-fly (*Musca domestica nebulo* Fabr.) for experimental studies. (With 5 Figures in the Text), 304

DINNIK, J. A. *Paramphistomum sukari* n.sp. from Kenya cattle and its intermediate host. (With 7 Figures in the Text), 414

DINNIK, J. A. and DINNIK, N. N. The life cycle of *Paramphistomum microbothrium* Fischoeder, 1901 (Trematoda, Paramphistomidae). (With 6 Figures in the Text), 285

DINNIK, N. N., *see* DINNIK, J. A.

DRAPER, C. C. The duration of residual immunity following spontaneous cure of *Plasmodium berghei* in rats. (With 1 Figure in the Text), 338

ELIAKIM, M. and DAVIES, A. MICHAEL. The complement-fixation test in bilharziasis. I. The value of different extracts of *Schistosoma mansoni* and *Fasciola hepatica* worms as antigens. (With 2 Figures in the Text), 407

FAHMY, M. A. M. An investigation on the life cycle of *Trichuris muris*. (With 7 Figures in the Text), 50

FYFE, M. L. *Tricotyledonia genypteri* n.g., n.sp., a three-suckered trematode from the red ling, *Genypterus blacodes* Bloch & Schn. (With 5 Figures in the Text), 325

GNANAMUTHU, C. P. *Choniosphaera indica*, a copepod parasitic on the crab *Neptunus* sp. (With 29 Figures in the Text), 371

GOTTO, R. V. *Lichomolgides cuanensis* n.g., n.sp., an ascidicolous copepod occurring in *Trididemnum tenerum* (Verrill). (With 20 Figures in the Text), 379

GRESSON, R. A. R. and CORBETT, M. PAULINE. A morphological study of a fish tapeworm, *Proteocephalus pollanicola*. (With 7 Figures in the Text), 34

HAIBA, M. H. The pH of the alimentary tract in normal and *Giardia*-infected culture mice. (With 2 Figures in the Text), 387

HISCOCK, IAN D. A new species of *Otobothrium* (Cestoda, Trypanorhyncha) from Australian fishes. (With 6 Figures in the Text), 65

HOPKINS, SEWELL H. The American species of trematode confused with *Bucephalus* (*Bucephalopsis*) *haimeanus*. (With 13 Figures in the Text), 353

HOY, J. M. The biology and host range of *Neoaplectana leucaniae*, a new species of insect-parasitic nematode. (With 5 Figures in the Text), 392

KULASIRI, CHARLES. Some cestodes of the rat, *Rattus rattus* Linnaeus, of Ceylon and their epidemiological significance for man, 349

LANE, W. F., *see* PULVERTAFT, R. J. V.
LLEWELLYN, J. Observations on the food and the gut pigment of the Polyopisthocotylea (Trematoda: Monogenea). (With Plate XV), 428

MCCONNACHIE, ELSPETH W. The action of amoebicidal drugs on *Entamoeba invadens* Rodhain, 1934 *in vitro*, 132
MCCONNACHIE, ELSPETH W. The influence of environmental factors on the size of the cysts of *Entamoeba invadens* Rodhain, 1934. (With 3 Figures in the Text), 342
MEYER, HERTHA and PORTER, KEITH R. A study of *Trypanosoma cruzi* with the electron microscope. (With Plates I–V), 16
MORIYA, SHOOJI. The reliability of the current diagnostic methods for the identification of helminth eggs. (With 1 Figure in the Text), 300
MOSCONA, A., *see* THEODOR, O.

NEAL, R. A. Amoebae found in the intestine of lizards from the Sudan. (With 9 Figures in the Text), 422

PORTER, KEITH R., *see* MEYER, HERTHA
PULVERTAFT, R. J. V., VALENTINE, J. C. and LANE, W. F. The behaviour of *Toxoplasma gondii* on serum-agar culture.

RADFORD, CHARLES D. The larval genera and species of 'harvest mites' (Acarina: Trombiculidae). (With 108 Figures in the Text), 247
ROBERTS, O. JOY. The effect of cortisone on *Plasmodium berghei* infections. (With 4 Figures in the Text), 58
ROBERTS, O. JOY. The effect of cortisone on *Plasmodium berghei* infections. (With 6 Figures in the Text), 438

SINHA, T. B. New species of larval mites from India (Acarina: Trombiculidae). (With 4 Figures in the Text), 329
SMIT, F. G. A. M. New bat-fleas (Siphonaptera: Ischnopsyllidae). (With 32 Figures in the Text), 144
SMITH, KENNETH M. and XEROS, N. Electron and light microscope studies of the development of the virus rods of insect polyhedroses. (With Plates VII–XII), 71
SMITH, KENNETH M. and XEROS, N. A comparative study of different types of viruses and their capsules in the polyhedroses and granuloses of insects. (With Plates XIII and XIV), 400

TATE, P. Notes upon the biology and morphology of the immature stages of *Neottiophilium praeustum* (Meigen, 1926) (Diptera: Neottiophilidae) parasitic on birds. (With 11 Figures in the Text), 111
THEODOR, O. and MOSCONA, A. On the bat parasites in Palestine. I. Nycteribiidae, Streblidae, Hemiptera, Siphonaptera. (With 105 Figures in the Text), 157
THURSTON, JUNE P. Anaemia in mice caused by *Eperythrozoon coccoides* (Schilling 1928). (With 11 Figures in the Text), 81
THURSTON, JUNE P. The chemotherapy of *Plasmodium berghei*. II. Antagonism of the action of drugs, 99

ULLMAN, H. Observations on a new cercaria developing in *Melanopsis praemorsa* in Israel. (With 20 Figures in the Text), 1

VALENTINE, J. C., *see* PULVERTAFT, R. J. V.

WERTHEIM, GUTA. A new anophlocephalid cestode from the gerbil. (With 3 Figures in the Text), 446
WILSON, S. G. *Rhipicephalus hurti* n.sp. (Ixodidae) from Kenya game and domestic animals. (With 6 Figures in the Text), 277

XEROS, N., *see* SMITH, KENNETH M.
XEROS, N., *see* SMITH, KENNETH M.

INDEX OF SUBJECTS

Amoebae found in the intestine of lizards from the Sudan, 423
Amoebicidal drugs, the action of, on *Entamoeba invadens* Rodhain, 1934, 132

Bat-fleas (Siphonaptera: *Ischnopsyllidae*), 144
Bat parasites in Palestine, 157
Bilharziasis, the complement-fixation test in, 407
Bucephalus (*Bucephalopsis*) *haimeanus*, the American species of trematode confused with, 363

Cercaria, observations on, in *Melanopsis praemorsa* in Israel, 1
Choniosphaera indica, a copepod parasitic on the crab *Neptunus* sp., 371
Comparative study of different types of viruses and their capsules in the polyhedroses and granuloses of insects, 400
Cortisone, the effect of, on *Plasmodium berghei* infections, 58, 438

Electron and light microscope studies of the development of the virus rods of insect polyhedroses, 71
Entamoeba invadens Rodhain, 1934, the action of amoebicidal drugs on, 132
Entamoeba invadens the influence of environmental factors on the size of the cysts of, 342
Eperythrozoon coccoides (Schilling, 1928), anaemia in mice caused by, 81

Gametocyte production, in *Plasmodium gallinaceum*, the effect of sulphadiazine, proguanil and 2:4-diamino-6:7-di*iso*propylpteridine upon, 120
Genypterus blacodes Bloch & Schn., the red ling, *Tricotyledonia genypteri* n.g., n.sp., a three-suckered trematode from, 325
Gerbil, a new anoplocephalid cestode from the, 446
Giardia-infected culture mice, the pH of the alimentary tract in, 387

'Harvest mites' (Acarina: *Trombiculidae*) the larval genera and species of, 247
Helminth eggs, reliability of the current diagnostic methods for the identification of, 300

Indian house-fly (*Musca domestica nebulo* Fabr.) breeding for experimental studies, 304
Insect polyhedroses, electron and light microscope studies of the development of the virus rods of, 71
Insect polyhedroses and granuloses, a comparative study of different types of viruses and their capsules in, 400
Ischnopsyllidae, new bat-fleas, 145

Larval mites from India (Acarina: *Trombiculidae*) new species of, 329
Lizards, from the Sudan, amoebae found in the intestine of, 423
Lichomolgides cuanensis n.g., n.sp., an ascidicolous copepod occurring in *Trididemnum tenerum* (Verrill), 379

Melanopsis praemora, observations on a new *Cercaria* developing in, in Israel, 1
Mice, anaemia in, caused by *Eperythrozoon coccoides* (Schilling, 1928), 81
Mice, giardia-infected, the pH of the alimentary tract in, 387
Monogenea, observations on the food and the gut pigment of the *Polyopisthocotylea*, 428
Musca domestica nebulo Fabr., the Indian house-fly, breeding for experimental studies, 304

Nematode parasite populations in sheep on lowland farms, 465
Neoaplectana leucaniae, a new species of insect-parasitic nematode, the biology and host range of, 393
Neotermes hirtellus, from the intestine of, a new species of *Stephanonympha*, 30
Neottiophilum praeustum (Meigen, 1826), notes upon the biology and morphology of the immature stages of, parasitic on birds, 111
Neptunus sp., *Choniosphaera indica*, a copepod parasitic on, 371

Ornithodoros moubata Murray, the tick, on the structure of the spiracle of, 310
Otobothrium (Cestoda, Trypanorhyncha), a new species of, from Australian fishes, 65

Paramphistomum microbothrium Fischoeder, 1901 (Trematoda, Paramphistomidae) the life cycle of, 285
Paramphistomum sukari n.sp., from Kenya cattle and its intermediate host, 414
Plasmodium berghei infections, the effect of cortisone on, 58, 438
Plasmodium berghei, the chemotherapy of, 99
Plasmodium berghei, the duration of residual immunity following spontaneous cure of, in rats, 338
Plasmodium gallinaceum (Brumpt, 1935), the effect of sulphadiazine, proguanil and 2:4-diamino-6:7-di*iso*propylpteridine upon gametocyte production in, 120
Plasmodium gallinaceum, the action of 2 : 4-diamino-6 : 7-di*iso*propylpteridine upon, and its relation to other compounds which are pteroylglumatic acid antagonists, 450
Polyopisthocotylea (Trematoda: Monogenea) observations on the food and the gut pigment of, 428
Proteocephalus pollanicola, a morphological study of a fish tapeworm, 34
Pseudotrichonympha sertaneja n.sp. (Protozoa, Mastigophora), from the intestine of a new termite (*Rugitermes* sp.) collected in Brazil, 24

Rats, spontaneous cure of *Plasmodium berghei* in, 338
Rattus rattus Linnaeus, some cestodes of, and their epidemiological significance for man, 349
Rhipicephalus hurti n.sp. (Ixodidae) from Kenya game and domestic animals, 277
Rugitermes sp., *Pseudotrichonympha sertaneja* n.sp., from the intestine of, collected in Brazil, 24

Sheep, nematode parasite populations in, 465
Stephanonympha (Protozoa, Mastigophora), on a new species of, from the intestine of the Brazilian termite, *Neotermes hirtellus*, 30

Toxoplasma gondii, the behaviour of, on serum-agar culture, 478
Trichostrongyle parasites, the ecology of the immature phases of, 313
Trichuris muris, an investigation on the life cycle of, 50
Tricotyledonia genypteri n.g., n.sp., a three-suckered trematode from the red ling, *Genypterus blacodes* Bloch and Schn., 325
Trididemnum tenerum (Verrill), *Lichomolgides cuanensis* n.g., n.sp., an ascidicolous copepod occurring in, 379
Trombiculidae, new species of larval mites from India, 329
Trombiculidae, the larval genera and species of 'Harvest mites', 247
Trypanosoma cruzi, a study of, with the electron microscope, 16